


Kilkenny

Natural Fireproof Linen




BECAUSE NATURE
NEEDS ALL OF US


VYVA
FABRICS



2529 DAISY




2517 LIMONCELLO




2530 SEA MIST



2533 GLASS




2555 NEW LEAF



2516 JUNIPER




2512 AURA




2511 LAGOON



2532 CYAN




2513 POOL




2551 RIVIERA




2531 SHETLAND



2534 PETROL




2515 DENIM




2535 MICHIGAN

Kilkenny

Natural Fireproof Linen



2540 MOHAVE



2501 SANDPIPER




2541 ALABASTER



2502 CHAMOIS




2507 GREYHOUND




2542 EMBER



2539 DRIFTWOOD



2508 SHALE




2503 CLIFF




2538 POSH



2536 SETTER



2544 GROTTA



2505 PATINA



2509 SHADOW



2543 CHARCOAL




2506 STEEL



2510 BLACKOUT




2537 BASALT




2564 CAMPFIRE




2565 LANTERN



2560 MARIGOLD



2563 MAGENTA




2561 RED CLAY



2562 SIZZLE



2567 SORBET




2566 GRENADINE




2568 WILD BERRY




2545 PUNCH



2569 DAHLIA




2521 CROCUS



2520 LAVENDER

K



CHARACTERISTICS

The Kilkenny collection is manufactured and tested to the highest international standards of fire protection. Soft furnishings:

Composition:	70VI, 30LI
Weight:	564 gr / m ²
Roll Width:	138 cm
Roll Length:	25 meters
Abrasion resistance:	>30.000 cycles Martindale
Flame Retardancy:	BS 5852 Source 0, 1, 5 (Cigarette match) (CRIB 5) EN 1021 Part 1 and 2 TB 117 2013 Section 1 UNI 9175 11M
	NF P 92-507 (M1) IMO 307 (88) Part 8

ONDERHOUD

Kilkenny brandwerende weefsels worden hoofdzakelijk samengesteld uit cellulose, biologisch afbreekbaar materiaal en van plantaardige oorsprong. U wordt geadviseerd om zorgvuldig de onderstaande instructies op te volgen. (Geetiketteerd in overeenstemming met de internationale norm UNI EN ISO 3758:2005)

MAINTENANCE

Kilkenny fireproof fabrics are mainly composed of cellulose, biodegradable material and of vegetable origin. You are advised to carefully follow the instructions below.

(Labeled in accordance with international standard UNI EN ISO 3758:2005)



Do not bleach.



Iron at medium temperatures.



Tumble dry in low temperature.



Professional dry cleaning.

The Kilkenny collection meets all relevant international flame-retardant standards, ensuring the comfort and softness of natural fibers and the strenght and bright colors.

Kilkenny

Natural Fireproof Linen



NL

Kilkenny is een 100% natuurlijke stof, vervaardigd met vezels van plantaardige oorsprong, zoals linnen en viscose. Door middel van een innovatieve gepatenteerde technologie is de stof volledig brandveilig zonder toevoeging van chemische additieven of gebruik van brandvertragende harsen, welke in contact kunnen komen met de huid en milieu.

EN

Kilkenny is a 100% natural fabric, created with fibers of vegetable origin such as linen and viscose, rendered completely fireproof through an innovative patented technology that doesn't use chemical additives or flame retardant resins that may come in contact with skin and environment.



They have no chemical additives or flame retardants, there is no formaldehyde or derivatives of chlorine and bromine; their performance is only the result of a molecular modification of cellulose. There aren't harmful releases into environment.



They carbonize and create a protective wall around flames, don't melt or drip.



They are fireproof, not simply flame retardant.



They are biodegradable.



They resist at temperatures above 1000°.



They are 100% natural, not synthetic.

VYVA FABRICS

INFO@VYVAFABRICS.NL WWW.VYVAFABRICS.NL